BUREAU OF THE MINT,

O. C. Bosbyshell, Esq., Superintendent, U. S. Wint,

Philadelphia, Penna.

Sir:

in compliance with your request of the 27th instant you are authorized to purchase from Henry Troemer, for the use of the Coiner's department of you mint, one six-foot standard balance and one improved four-foot balance, both balances to be made of the best material and with all the latest improvements, at a net cost of \$2,200. Mr. Troemner will render his bill for the net amount as stated.

You are also authorized to purchase from Mr. Troemner a special coin belance, 36-inch beam, for the use of the Cashier, the bill for the same to be made out for the net amount as indicated above.

The old balances you will deliver to Mr. Treemmer when the new ones are furnished and put in place by him.

espectfully yours,

Director of the Mint.

1113

Treasury Dept. Jan. 29. 1890

E. O. Leech Director.

Authority to purchase two cire balances . for corners before, from Theory I recom con.



RG104 E-1 Box 161

[RG104 E-1 Box 161]

[Abstract:] Authority to purchase two coin balances for Coiners Dept from Henry Troemner.

Treasury Department, Bureau of the Mint, Washington, D.C., January 29, 1890.

O.C. Bosbyshell, Esq. Superintendent, U.S. Mint, Philadelphia, Penna.

Sir:

In compliance with your request of the 27th instant you are authorized to purchase from Henry Troemner, for the use of the Coiner's department of your mint, one six-foot standard balance and one improved four-foot balance, both balances to be made of the best material and with all the latest improvements, at a net cost of \$2,200. Mr. Troemner will render his bill for the <u>net</u> amount as stated.

You are also authorized to purchase from Mr. Troemner a special coin balance, 36-inch beam, for the use of the Cashier, the bill for the same to be made out for the net amount as indicated above.

The old balances you will deliver to Mr. Troemner when the new ones are furnished and put in place by him.

Respectfully yours, E.O. Leech Director of the Mint.